Pieno

Push the Boundaries

Wiring Devices







Pieno

Push the boundaries

A person's world is only as big as his heart. A person's home is only as good as his mind. Have a big heart, be openminded and push the boundaries, spiritually and physically, from the life space to the details that matter.

Pieno, a switch that pushes the boundaries, for the big-hearted and the open-minded.



Pieno





Uncluttered design with a distinctive jumbo dolly and an overall slim profile, Pieno has pushed the boundaries of the switch design paradigm. Each dolly fills its space, reaching the edges like no other. The maximized space of the integrated faceplate has enlightened the clean and clutter-free design, and seamlessly fits in to any space. Bold straight lines accented by small curves bring sleekness to the muscular design language. Pieno is yet another switch to aspire to among the wide spectrum of Schneider Electric's design excellence.



Circular base design

Pieno's circular base design can easily fit into the common 60mm diameter wall opening for a faster and more convenient installation in false walls or furniture.



Top quality


Made of corrosion resistant, heat resistant, and impact resistant polycarbonate

IEC, BS, SS, MS, GB, CCC and/or IS compliant

All RoHS compliant

Push the boundaries







PerfectFace® Switch Architecture consists of two patented designs that bring unprecedented integrity to the moving parts in rocker-type switches. The dollies and surround are integrated into one piece, removing one installation step while keeping a consistent distance and perfect alignment between dollies and surround. The grid plate is uniquely designed to contour the wall to minimize gaps between the switch and an uneven wall after installation. Moreover, excessive paint on the mechanism can be totally covered by the integrated faceplate to maintain a perfect wall finishing. PerfectFace® Switch Architecture is the perfection of aesthetic value and installation efficiency.



Conceived as the perfect combination between form and function, Pieno presents an overall slim profile despite the jumbo dolly, thanks to the innovative SS Mechanism. The 3-degree short throw switching angle is half that of the conventional rocker-type switch, confirming Pieno's status as the "Slim Rocker". The flutter-free switching reduces vibration and sparks, and the switch is operated by a softer press, which delivers a "Sure Click" plus improved durability and reliability.

Patented design with dollies and surround integrated into one piece, to improve aesthetic integrity as well as installation quality and efficiency.

Different finishes that you can choose from



	Produ	ıct	Product Number	Product Description
Flush Swite			Confirms to IEC 60	
Flusii Switt	Cites		E8231L1F20	16AX/20A 250V 1 Gang 1 Way Switch with Fluorescent Locator
			E8232L1F20	16AX/20A 250V 1 Gang 1 Way Switch with Fluorescent Locator
	- 100		E8233L1F20	16AX/20A 250V 3 Gang 1 Way Switch with Fluorescent Locator
			E8234L1F	10AX 250V 4 Gang 1 Way Switch with Fluorescent Locator
E8231L1F20 E8231L2F20	E8232L1F20 E8233L1F20 E8232L2F20 E8233L2F20	E8234L1F E8234L2F	E8231L2F20	
LOZOTEZIZO	EUZUUZZI ZU	EUZU-EZI	E8232L2F20	16AX/20A 250V 1 Gang 2 Way Switch with Fluorescent Locator
				16AX/20A 250V 2 Gang 2 Way Switch with Fluorescent Locator
-			E8233L2F20	16AX/20A 250V 3 Gang 2 Way Switch with Fluorescent Locator
E8231L1N	E8232L1N E8233L1N	E8234L1N	E8234L2F	10AX 250V 4 Gang 2 Way Switch with Fluorescent Locator
			E8231L1N20	16AX/20A 250V 1 Gang 1 Way Switch with Neon
			E8232L1N20	16AX/20A 250V 2 Gang 1 Way Switch with Neon
16			E8233L1N20	16AX/20A 250V 3 Gang 1 Way Switch with Neon
-0004 PDI 4	FOOOMNE		E8234L1N	10AX 250V 4 Gang 1 Way Switch with Neon
E8231BPL1	E8231MF		E8231BPL1	10A 250V 1 Gang Bell Press Switch with Fluorescent Locator
			E8231MF	16AX 250V 1 Gang Intermediate Switch with Fluorescent Locator
Dimmer Sv	witch, Fan Control Swit	ch, Curtain Switch	Confirms to IEC 60	669-1
	15		E8232RD450	450VA 250V 1 Gang Dimmer with Switch
àū	á.		E8232V450F	250V 400VA Fan Controller with Switch
			E8231CF	10A Mechanical Curtain Switch with Fluorescent Locator
8232RD450	E8232V450F E8231CF			
ime Delay	y Switches			
1			E8231ETR60	200VA Electronic Time Delay Switch (1-60 Minutes Adjustable)
	0		E8231ETPE	200VA Sound Activated Switch with Off Delay, 2 Wire
4			E8231ETPE4	200VA Sound Activated Switch with Off Delay, 4 Wire
8231FTB60 F8	8231ETPE / E8231ETPE4		2020121121	2007/ Codina / Salada Official William Silada January 1
	le Switches		Confirms to IEC 60	GEO 1
ouble Fol	le Switches		E8231D20N	20A 250V 1 Gang Double Pole Switch with Neon
	7010		E8232D20N	20A 250V 2 Gang Double Pole Switch with Neon
-			E8231D32N	32A 250V 1 Gang Double Pole Switch with Neon
8231D20N	E8231D32N E8231D45N		E8231D45N	45A 250V 1 Gang Double Pole Switch with Neon
lomentary	y Switches		Confirms to IEC 60	1669-1
			E8231PRL1F	10A 250V 1 Gang Momentary Switch with Fluorsecent Locator
	-111		E8232PRL1F	10A 250V 2 Gang Momentary Switch with Fluorsecent Locator
			E8233PRL1F	10A 250V 3 Gang Momentary Switch with Fluorsecent Locator
8231PRL1F	E8232PRL1F E8233PRL1F			
Panic Butt	on			
			E8231KPB	Panic Button with Key Reset
•				
E8231KPB				
Socket Out	tlets			
			E8215-5N	5A 250V 1 Gang 3 Round Pin Switched Socket with Neon
			E82426-15	15A 250V 1 Gang 3 Round Pin Socket
			E8215-15	15A 250V 1 Gang 3 Round Pin Switched Socket
			E8215-15N	15A 250V 1 Gang 3 Round Pin Switched Socket with Neon
E82426	E8215 E8215N E8215DN			
	LUZ I JUN		E8215-15N_RD	15A 250V 1 Gang 3 Round Pin Switched Socket with Neon, Full Red
	4. 44		Confirms to BS 1363	
			E82426	13A 250V 1 Gang Socket
	-	50-7-7-	E8215	13A 250V 1 Gang Switched Socket
E82T426	E82T25	E82T25N E82T25DN	E8215N	13A 250V 1 Gang Switched Socket with Neon
			E8215N-RD	13A 250V 1 Gang Switched Socket with Neon, Full Red
	-		E82T426	13A 250V Twin Gang Socket
	• •		E82T25	13A 250V Twin Gang Switched Socket
82426-15	E8215-15N E82426-16S		E82T25N	13A 250V Twin Gang Switched Socket with Neon
			E8215DN	13A 250V 1 Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
			E82T25DN	13A 250V Twin Gang Double Pole Switched Socket with Neon and Dual Earth Term
			Confirms to BS 573	<u> </u>
			E82426-U	10A 250V 1 Gang Universal Socket
			E82426-U2	10A 250V 2 Gang Universal Socket
			E8215-US	10A 250V 1 Gang Switched Universal Socket
			E82426-16S	
				16A 250V 1 Gang Schuko Socket (Confirms to IEC 60884-1)
connection	n and Control Units		Confirms to BS 573	
	8.91-9		E8231TB	25A 250V 1 Gang Connection Unit
			E82554	45A 250V 1 Gang Connection Unit
			E82T15D45N	45A 250V Double Pole Switch with Neon + 13A Switched Socket with Neon
E8231TB	E82T15D45N			*
				Note: Add suffix to part numb
				-LS Lavender Silver _AS-G1 Aluminium Silver

_MB_G1 Matt Black _WG_G1 Wine Gold

		Produc	τ		Product Number	Product Description
Flush Connection Units						
		17971			E8230FSG	13A 250V 1 Gang Fused Connection Unit
-	-				E8230FSGN	13A 250V 1 Gang Fused Connection Unit with Neon
0	0	0=			E8231DFSGN	13A 250V 1 Gang Fused Connection Unit with Double Pole Switch and Neon
3230FSG	E8230FSGN	E8231DFSGN				
elecomm	nunication Ac	cessories				
					E8231TVM	1 Gang TV Socket Master, 75 Ω , 5-860MHz
0		0 0	00		E8231TVS	1 Gang TV Socket Slave, 75 Ω , 5-860MHz
20					E8231TV	1 Gang TV Socket, 75 Ω , Through-Connection
3231TV	E8231TVMF	E8232TV	E8232TVF	-	E8232TV	2 Gang TV Socket, 75 Ω , Through-Connection
231TVM 3231TVS	E8231TVSF				E8231TVMF	1 Gang TV Socket Master, 5-1000 MHz, F Connection
					E8231TVSF	1 Gang TV Socket Slave, 5-1000 MHz, F Connection
0	0 0				E8231TVF	1 Gang CATV Socket
					E8232TVF	2 Gang TV Socket, F Connection
231TVF	E8232TVFMM				E8232TVFMM	2 Gang TV Master/FM Socket
					E8232TVRJS	1 Gang TV + RJ45 Data Outlet, Keystone on Shuttered Wallplate (without Modul
=	• =	=	==		E8232TVFRJS	1 Gang TV F Connection + RJ45 Data Outlet, Keystone on Shuttered Wallplate (without Module)
32TVRJS	E8232TVFRJS	E8231RJS	E8232RJS		E8231RJS	1 Gang Shuttered Keystone Wallplate (without Module)
TVRJS-5	E8232TVFRJS-5	E8231RJS4 E8231RJS-5	E8232RJS4 E8232RJS-5		E8232RJS	2 Gang Shuttered Keystone Wallplate (without Module)
		E0231NJ3=J	E0232NJ3=J		E8231RJS4	1 Gang Telephone Socket, Keystone on Shuttered Wallplate
4	10.00		9 0		E8232RJS4 E8231RJS-5	2 Gang Telephone Socket, Keystone on Shuttered Wallplate
ad.			00		E8232RJS-5	1 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate
31VC-5	E8231SC	E8232SC	E8231RCA-S		E8231VC-5	2 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate 5W Volume control, 8 Ω
3140-3	L020100	LUZUZUU	LUZU III UA-U		E8231SC	Speaker Connection, One Pair
	-	E			E8232SC	Speaker Connection, Two Pairs
	-	30			E8231RCA-S	RCA and S-Video Socket
233RGB	E8232HDUSB	E8232HD15PH			E8233RGB	Component Video Socket
Johnab	LOZOZIIDOOD	2020211010111			E8232HD15PH	VGA and Mini Audio Socket
tel Acc	essories				Confirms to IEC 60	669-1
					E8231DS	16AX 1 Gang Switch with Neon with "Privacy" Symbol
					E8231WS	16AX 1 Gang Switch with Neon with "Please Wait" Symbol
77		19	2	4	E8231CS	16AX 1 Gang Switch with Neon with "Please Clean Up" Symbol
231DMW	E8231BPDMW	E8231DS	E8231WS	E8231CS	E8233DMWS	16AX 3 Gang Switch with Neon with "Privacy", "Please Clean Up" & "Please Wait" Symbols
					E8231EKT	16A 250V Electronic Key Card Switch with Time Delay
19 ±		图 二		B	E8231BPDMW	10A 250V 1 Gang Bell Switch with Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols
SDIVING	E0004EVT	FROTZOZU		555	E8231DS	16AX 1 Gang Switch with Neon with "Privacy" Symbol
3DMWS	E8231EKT	E82T727H		2000	E8231WS	16AX 1 Gang Switch with Neon with "Please Wait" Symbol
				E82T727V	E8231CS	16AX 1 Gang Switch with Neon with "Please Clean Up" Symbol
					E8233DMWS	16AX 3 Gang Switch with Neon with "Privacy", "Please Clean Up" & "Please Wait" Symbols
					Confirms to BS 573.	3
					E8231DMW	250V Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols
					Confirms to BS EN	61558-2-5
					E82T727H	115V/240V Universal Shaver Unit, Horizontal
					E82T727V	115V/240V Universal Shaver Unit, Vertical
ısh Plat	es and Acces	sories			Confirms to BS 573.	3
					E8230X	1 Gang Blank Plate
					E8230TX	Twin Gang Blank Plate
					E8231X	1 Gang Blank Plate with 30M Hole
3230X	E8230TX	E8	231X	E8232X	E8232X	2 Gang Blank Plate with 30M Hole
	t Lamp				Confirms to BS 573.	3
ght Foo					E8290FLW	Night Foot Lamp with LED Illumination






Notes

•
•
•
•
•
•
•
•
•
•
•
•
•
•
-
-
•
•
-
-
-
-
-
-
-







About Schneider Electric

As a global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in Utilities & Infrastructures, Industries & Machine Manufacturers, Non-residential Buildings, Data Centres & Networks and in Residential. Focused on making energy safe, reliable, efficient, productive and green, the Group's 140,000 plus employees achieved sales of 24 billion euros in 2012, through an active commitment to help individuals and organizations make the most of their energy.

The Installation Systems & Control of Schneider Electric provides solutions that represent the best in lifestyle and innovation for offices, hotels and homes. These solutions include award-winning products in the areas of building and home automation, structured cabling, and designer switches and sockets. They help the finest architectures around the world to achieve more with less.

www.schneider-electric.com



Become an energy champion today!

Because saving energy is everyone's business

- > Free Energy Efficiency courses for you and your staff
- > On-demand training takes less than an hour
- > More than 50,000 courses completed to date
- > Courses now available in eight languages: Arabic, English, Chinese, Spanish, Italian, Russian, Brazilian Portuguese, and German
- > More than 30,000 registered users from 120 plus countries





Enroll TODAY!

Classes are FREE, for a limited time only! Visit www.MyEnergyUniversity.com and enter the key code 32323P

Schneider Electric FZE

E Wing, Level 4, Dubai Silicon Oasis, Emirates Road & Dubai-Al Ain Road Intersection P.O. Box 341057, Dubai, United Arab Emirates Phone: + 971 (4) 709 91 00

Fax: + 971 (4) 709 91 01 www.schneider-electric.com/ae Due to evolution of standards and equipment, the characteristics indicated in texts and images of this document do not constitute a commitment on our part without confirmation.

Designed by: Dax Gaudiel - Marketing Communications, Schneider Electric Gulf

March 2013